	A U Al NI	Applicant(a)
	Application No.	Applicant(s)
Notice of Allowability	10/717,971	MULDER ET AL.
Notice of Allowability	Examiner	Art Unit
	Alan A. Mathews	2851
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>communication filed 6-2-05</u> .		
2. The allowed claim(s) is/are <u>1-19</u> .		
3. The drawings filed on 11-21-03 are accepted by the Examiner.		
 4.		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 		
1) hereto or 2) to Paper No./Mail Date		
(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Informal P	atent Application (PTO-152)
Notice of Preferences Check (170-032) Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	, , , , ,
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat	te
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. X Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9. ☐ Other .	
	alan A	Mathews y Examiner

Application/Control Number: 10/717,971

Art Unit: 2851

EXAMINER'S COMMENT

European Search Report

1. The Examiner has considered the European Search Report for EP 02 098 0031 filed November 21, 2003. The references cited therein were cited on Applicant's PTO-1449 which was initialed and mailed to Applicant in the previous office action.

REASONS FOR ALLOWANCE

2. The following is an examiner's statement of reasons for allowance:

The prior art does not disclose or suggest a light conducting rod having reflecting side walls to reduce position dependence of the intensity distribution of the beam, the rod being disposed in the path of the projection beam between the pupil plane and a first image plane of the pupil plane, and at least one optical element configured to image the pupil plane onto the first image plane of the pupil plane, wherein the beam splitter is positioned downstream of the light conducting rod in combination with all the other elements recited in independent claim 19.

The Examiner agrees with Applicant's Arguments filed in this Remarks filed June 2, 2005, regarding why amended independent claims 1 and 11 define over Takahashi and Shiozawa.

Page 3

Application/Control Number: 10/717,971

Art Unit: 2851

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alan A. Mathews whose telephone number is (571) 272-2123. The examiner can normally be reached on Monday through Friday from 8:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Judy Nguyen can be reached on (571) 272-2258. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Alan A. Mathews **Primary Examiner** Art Unit 2851

Celan a. Mathen

AM